

Safety Data Sheet

according to WHS Regulations

Printing date 29.08.2019

Revision: 29.08.2019

1 Identification

Product Name: DP400**Other Means of Identification:** Mixture**Recommended Use of the Chemical and Restriction on Use:** Epoxy resin primer**Details of Manufacturer or Importer:**

Cemimax
Suite 2/ 27 Grosvenor Street
Neutral Bay NSW 2089

Phone Number: 0401 229 669**Emergency telephone number:** National Poison Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



environment

Aquatic Chronic 2

H411 Toxic to aquatic life with long lasting effects.



Skin Corrosion/Irritation 2

H315 Causes skin irritation.

Serious Eye Damage/Irritation 2A H319 Causes serious eye irritation.

Skin Sensitisation 1

H317 May cause an allergic skin reaction.

Signal Word Warning**Hazard Statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P337+P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 29.08.2019

Revision: 29.08.2019

Product Name: DP400

(Contd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Hazardous Components:**

CAS: 25068-38-6	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane ⚠ Aquatic Chronic 2, H411; ⚠ Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2A, H319; Skin Sensitisation 1, H317	30 - 60%
-----------------	---	----------

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.**Skin Contact:**

In case of skin contact, remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek medical attention if symptoms occur.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Eye Contact: Causes serious eye irritation.

Ingestion: May cause gastrointestinal irritation.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Water fog, alcohol resistant foam, dry chemical or carbon dioxide. Do not use full water jet.

Specific Hazards Arising from the Chemical:

No hazardous decomposition products known.

Product may be combustible at high temperatures.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots.

Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 29.08.2019

Revision: 29.08.2019

Product Name: DP400

(Contd. of page 2)

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.
Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Contact with incompatible materials may lead to exothermic polymerisation.
Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.
Food, beverages and tobacco products should not be stored or consumed where this material is in use.
Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Contaminated work clothing must not be allowed out of the workplace. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from frost. Keep away from bases, alcohols and amines.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection: Respiratory protection is not required under normal use conditions.

Skin Protection:

Butyl rubber or nitrile gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Yellowish
Odour:	Weak, characteristic
Odour Threshold:	Not determined.
pH-Value:	Not determined.
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	>100 °C
Flammability:	Combustible
Ignition Temperature	>200 °C
Auto-ignition Temperature:	Not applicable

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 29.08.2019

Revision: 29.08.2019

Product Name: DP400

(Contd. of page 3)

Decomposition Temperature:	Not determined.
Explosion Limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour Pressure:	Not determined.
Density at 20 °C:	1.1 g/cm ³
Relative Density:	Not determined.
Vapour Density:	Not determined.
Evaporation Rate:	Not determined.
Solubility in Water:	Immiscible
Partition Coefficient (n-octanol/water):	Not determined.
Viscosity at 20 °C:	400 mPas (Dynamic)

10 Stability and Reactivity

Possibility of Hazardous Reactions:

Contact with incompatible materials may lead to exothermic polymerisation.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Cold temperatures.

Incompatible Materials: Bases, alcohols and amines.

Hazardous Decomposition Products: No hazardous decomposition products known.

11 Toxicological Information

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification:

CAS: 25068-38-6 Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane

Oral	LD ₅₀	15.6 mg/kg (mouse) 11.4 mg/kg (rat)
Dermal	LD ₅₀	>20 ml/kg (rabbit)

Acute Health Effects

Inhalation: May cause respiratory irritation.

Skin: Causes skin irritation. May cause an allergic skin reaction.

Eye: Causes serious eye irritation.

Ingestion: May cause gastrointestinal irritation.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 29.08.2019

Revision: 29.08.2019

Product Name: DP400

(Contd. of page 4)

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:** No information available

12 Ecological Information

Ecotoxicity:**Aquatic toxicity:**

Toxic to aquatic life with long lasting effects.

CAS: 25068-38-6 Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxiraneLD₅₀ 1.2 mg/kg (rainbow trout) (OECD 203)EC₅₀/48 h 1.7 mg/l (daphnia) (OECD 202)EC₅₀/72 h 9.4 mg/l (green algae)**Persistence and Degradability:** No further relevant information available.**Bioaccumulative Potential:** No further relevant information available.**Mobility in Soil:** No further relevant information available.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number**ADG, IMDG, IATA**

UN3082

Proper Shipping Name**ADG, IATA**ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (Phenol, 4,4'-(1-methylethylidene)bis-,
polymer with (chloromethyl)oxirane)**IMDG**ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (Phenol, 4,4'-(1-methylethylidene)bis-,
polymer with (chloromethyl)oxirane), MARINE
POLLUTANT**Dangerous Goods Class****ADG Class:**

9 Miscellaneous dangerous substances and articles.

Packing Group:**ADG, IMDG, IATA**

III

Marine pollutant:

Yes

Symbol (fish and tree)

EMS Number:

F-A,S-F

Hazchem Code:

•3Z

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 29.08.2019

Revision: 29.08.2019

Product Name: DP400

(Contd. of page 5)

Special Provisions: 274, 331, 335, 375, AU01**Limited Quantities:** 5L**Packagings & IBCs - Packing Instruction:** P001, IBC03, LP01**Packagings & IBCs - Special Packing Provisions:** PP1**Portable Tanks & Bulk Containers - Instructions:** T4**Portable Tanks & Bulk Containers - Special Provisions:** TP1, TP29

15 Regulatory Information

Australian Inventory of Chemical Substances:

CAS: 25068-38-6 Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane

CAS: 16096-31-4 1,6-bis(2,3-epoxypropoxy)hexane

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

16 Other Information

Date of Preparation or Last Revision: 29.08.2019**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percentLD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation – Category 2A

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Cemimax makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.