



463 SUITE
LANGFORD DOUBLE
HUNG WINDOW

The Magnum double hung window is popular for its effective ventilation control and fantastic design features. Designed to suit both modern and traditional styled homes.



PRODUCT FEATURES

Custom made sizes to suit your requirements. The 102mm frame and wide sashes give the window a bold look, similar to a traditional timber window.

The clean lines ensure that the window suits a modern design, but has the option of sash horns or colonial bars that can be added for a more traditional style.

All windows come with key locks as standard with a range of hardware colours including colour match powdercoat.

The suite is designed to carry a variety of glass types for sound reduction and temperature control, including double glazed.

The flyscreen recessed is integrated into the frame and is easily removed for cleaning.

Sashes can tilt inwards to allow the outside face of the glass to be easily cleaned.

Certified to comply with up to BAL40 bushfire level.

For further information please contact the office



PRODUCT OPTIONS

ENERGY



The following table lists some of the typical WERS rated glass and frame combinations for this window type. For a complete list of all rated glass and frame combinations please contact the office

Glass Type	COOLING	HEATING	U Value	SHGC
4mm Clear	26%	10%	6.5	0.58
5mm Grey	37%	2%	6.5	0.43
6.38mm Comfort Plus Clear	41%	25%	5.0	0.48
6.38mm Comfort Plus Neutral			4.4	0.34
Double Glazed Clear - Clear / air / Clear	40%	38%	4.0	0.49
Double Glazed Low E - Clear / air / Low E clear	48%	32%	4.2	0.43

GENERAL	HARDWARE	WEATHER
<p>Max window height 2100 - add a lowlite or a hilite to increase the size</p> <p>Max window width 1200 per bay</p> <p>Max glass thickness 20mm</p> <p>Frame depth 102mm</p>	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p>Standard Handle</p> </div> <div style="text-align: center;">  <p>Sash Horn (optional)</p> </div> </div>	<p>Max water rating 450Pa</p>

For further information please contact the office