



## SAFETY DATA SHEET

### 1. PRODUCT IDENTIFICATION

Name of product: **SEALINER CFC-FREE**

Manufacture Information: MARUNI INDUSTRY CO., LTD.  
11-1 Shariji 3-chome, Ikuno-ku, Osaka Japan 544-0022  
Phone +81-6-6716-4171

Emergency advice: Phone +81-6-6716-4171

Recommended use(s): Coating

---

### 2. Hazards Identification

#### GHS Classification

Flammable Liquid	Category 2
Acute toxicity(Oral)	Category 5
Skin corrosion/irritation	Category 2
Eye corrosion/irritation	Category 2B
Carcinogenicity	Category 2
Specific target organ toxicity	Category 1(lungs, kidneys)
- Single exposure	Category 3(drowsiness and dizziness, respiratory irritation)
Specific target organ toxicity	Category 1(nervous system)
- Repeated exposure	Category 2(vascular system,kidneys)
Acute toxicity to the aquatic environment	Category 2
Chronic toxicity to the aquatic environment	Category 2

---

#### Label Elements

#### Pictogram and Symbol :

Signal word : **Danger**

#### Hazard statement :

H225 Highly flammable liquid and vapour.  
H315 Causes skin irritation.



# Maruni

## SAFETY DATA SHEET

H320	Causes eye irritation.
H351	Suspected of causing cancer.
H370	Causes damage to organs.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H360	May damage fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long-lasting effects.

### Precautionary statements :

#### Prevention

P210	Keep away from heat/sparks/open flames / hot surface . No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use rated explosion-proof electrical equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P280	Wear protective gloves / protective clothing/eye protection/face protection.
P260	Do not breathe dust/fumes/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.

#### Response

P303+P361+P353	IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing.
P370+P378	In case of fire: Use dry chemical powder, appropriate foam, carbon dioxide for extinction.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor / physician.
P337+P313	IF eye irritation persists: Get medical advice/attention.
P308+P313	If exposed: Call a POISON CENTER or doctor/physician.
P308+P311	If exposed or concerned: Call a POISON CENTER/ doctor.



## SAFETY DATA SHEET

P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor / physician.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P314	Get medical advice/attention if you feel unwell.

### Storage

P403+P235	Store in a well ventilated place. Keep cool.
P403+P233	Store in a well ventilated place. Keep container tightly closed.
P405	Store locked up.

### Disposal

P501	Dispose of contents/ container in accordance with local/ regional/ national/ international regulations.
------	---

Flammable Liquid	Category 2
Skin corrosion/irritation	Category 2
Eye corrosion/irritation	Category 2B
Specific target organ toxicity - Single exposure	Category 3(drowsiness and dizziness, respiratory irritation)
Acute toxicity to the aquatic environment	Category 1
Chronic toxicity to the aquatic environment	Category 1

### Label Elements

Pictogram and Symbol :



Signal word :

**Danger**

### Hazard statement :

H225	Highly flammable liquid and vapour
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

### Precautionary statements :



## SAFETY DATA SHEET

### Prevention

- P210 Keep away from heat/sparks/open flames/ hot surface . No smoking.
- P240 Ground/bond container and receiving equipment
- P241 Use explosion-proof electrical equipment.
- P242 Use only non-sparking tools
- P243 Take precautionary measures against static discharge
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray
- P264 Wash hand thoroughly after handling
- P271 Use only outdoors or in a well-ventilated area
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection

### Response

- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a POISON CENTER or doctor/physician if you feel unwell.
- P332+P313 IF skin irritation occurs: Get medical advice/attention
- P337+P313 If eye irritation persists: Get medical advice/attention
- P362 Take off contaminated clothing and wash before reuse
- P370+P378 In case of fire: Use dry chemical powder, appropriate foam, carbon dioxide for extinction.

### Storage

- P403+P233+P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool.
- P405 Store locked up

### Disposal

- P501 Dispose of contents/ container in accordance with local/ regional/ national/ international regulations.

## 3. Composition/ information on ingredients

**Chemical Identity** Solution of natural rubber in solvent

**Synonyms** - - -

**Chemical Formula** Mixture

CAS No.	Component Name	Percent
68513-03-1	Solvent naphtha	65 - 75
9010-85-9	Butyl rubber	20 - 25



# Maruni

## SAFETY DATA SHEET

1333-86-4	Carbon black	5 - 10
-----------	--------------	--------

### 4. First aid and Measures

#### 4.1 Description of first aid measures

##### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

##### **If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

##### **In case of skin contact**

Wash off with soap and plenty of water, Consult a physician.

##### **In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

##### **If swallowed**

Never make him/her vomit by force. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. Fire-fighting measures

#### 5.1 Extinguishing media

##### **Suitable extinguishing media**

Dry powder, Carbon dioxide, Alcohol-resistant foam. Use water spray or fog to control fire fumes.

##### **Unsuitable extinguishing media**

Do not use a solid water stream.

#### 5.2 Special hazards arising from the substance or mixture

##### **Specific hazards**

Exposure to fire may cause containers to rupture / explode.



## SAFETY DATA SHEET

### **Hazardous combustion products**

If involved in a fire, the following toxic and / or corrosive fumes may be produced by thermal decomposition: Carbon dioxide and Carbon monoxide

### **5.3 Advice for fire-fighters**

#### **Specific methods**

If possible, stop flow of product. If leaking, do not extinguish a flame unless absolutely necessary. Spontaneous / explosive re-ignition may occur. Extinguish any other fire. Move container away or cool with water from a protected position. Prevent water used in emergency cases from entering sewers and drainage systems.

### **5.4 Further information**

No data available

---

## **6. Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Remove ignition sources and ventilate the area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid raising dust and avoid contact with skin and eyes.

### **6.2 Environmental precautions**

Prevent spills from entering sewers, watercourses or low areas.

### **6.3 Methods and materials for containment and cleaning up**

Do not touch spilled material without suitable protection ( See section 8). After material is completely picked up, wash the spill with soap and water and ventilate the area. Put all wastes in a plastic bag for disposal and seal it tightly. Remove, clean, or dispose of contaminated clothing.

### **6.4 Reference to other sections**

For disposal see section 13.

## **7. Handling and storage**

### **7.1 Precautions for safe handling**

Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Handle material with suitable protection.

### **7.2 Conditions for safe storage, including any incompatibilities**

Store away from sunlight in well-ventilated dry place at room temperature ( preferably cool place). Keep container tightly closed.



## SAFETY DATA SHEET

### 8. Exposure controls/ Personal protection

#### 8.1 Engineering measures

Use exhaust ventilation to keep airborne concentrations below exposure limits.  
Use adequate ventilation.

#### 8.2 Ventilation

Local exhaust; recommended, mechanical(General) ; recommended

#### 8.3 Control parameters

Component Name	ACGIH TLV-TWA	OSHA PEL-TWA
Solvent naphtha	400 ppm	-
Butyl rubber	-	-
Carbon black	-	-

#### 8.4 Personal protection

Respiratory protection	Safety masks
Hand protection	Chemical resistance gloves
Eye protection	Safety glasses(goggles)
Skin protection	Protective clothing

### 9. Physical and Chemical properties

# element 1 : Solvent naphtha

#### Information on basic physical and chemical properties

a) Appearance	Black, liquid
b) Odour	Petroleum-like
c) Odour Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	-95°C(element 1)
f) Initial boiling point and boiling range	90~ 125°C(element 1)
g) Flash point	-11.5°C(element 1)
h) Evaporation rate	No data available
i) Upper explosive limits	7 vol%(element 1)
Lower explosive limits	1 vol%(element 1)
j) Vapour pressure	7 kPa at 20°C(element 1)



## SAFETY DATA SHEET

k) Vapour density	3.6 (element 1)
l) Relative density	0.78 g/ml
m) Water solubility	Negligible
n) Partition coefficient : n-octanol/water	No data available
o) Auto-ignition temperature	258°C (element 1)
p) Decomposition temperature	No data available
q) Viscosity	16,000 - 19,000 mPa·s (25°C)
r) Explosive properties	No data available
s) Oxidizing properties	No data available

---

### 10. Stability and reactivity

#### 10.1 Reactivity

No reactivity hazard other than the effects described in sub-sections below.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Can form potentially explosive atmosphere in air. May react violently with oxidants.

#### 10.4 Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. -No smoking.

#### 10.5 Incompatible materials

Air, Oxidiser

#### 10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. If involved in a fire the following toxic and/or corrosive fumes may be produced by thermal decomposition;

Carbon dioxide and Carbon mono-oxide

---

### 11. Toxicological information

# element 1 : Solvent naphtha





## SAFETY DATA SHEET

### Information on toxicological effects

(element 1)

#### Acute toxicity

LD50 Oral - Rabbit - No data available

LD50 Oral - Rat - No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result : Group 2

#### Eye damage/eye irritation

Eyes - Rabbit

Result : Group 2

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

Group 3

#### Specific target organ toxicity - repeated exposure

Group 1

## 12. Ecological information

(element 1)

### 12.1 Toxicity

LC50 0.1mg/L/96h(Mysidopsis bahia)

BOD No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

Non-classified PBT substance, Non-classified vPvB substance



## SAFETY DATA SHEET

### 12.6 Other adverse effects

Toxic to aquatic life with long lasting effects.

---

### 13. Disposal considerations

#### Waste treatment methods

##### Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

##### Contaminated packaging

Dispose of as unused product.

---

### 14. Transport information

#### 14.1 UN number

ADR/RID : 1139

IMDG : 1139

IATA : 1139

#### 14.2 UN proper shipping name

ADR/RID : COATING SOLUTION

IMDG : COATING SOLUTION

IATA : COATING SOLUTION

#### 14.3 Transport hazard class(es)

ADR/RID : 3

IMDG : 3

IATA : 3

#### 14.4 Packaging group

ADR/RID : II

IMDG : II

IATA : II

#### 14.5 Environmental hazards

ADR/RID : Environmentally Hazardous Substance

IMDG : Environmentally Hazardous Substance

IATA : Environmentally Hazardous Substance

#### 14.6 Special precautions for user

Keep away from sources of heat and ignition.

---

### 15. Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Authorisations and/or restrictions on use



## SAFETY DATA SHEET

All components of this material are listed on below;

Europe REACH : On inventory, or in compliance with the inventory

United States of America TSCA : On inventory, or in compliance with the inventory

Japan ENCS : On inventory, or in compliance with the inventory

### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

---

### 16. Other information

**NOTICE:** MARUNI INDUSTRY CO., LTD. believes that information contained on this safety data sheet is accurate. The suggested procedures are based on experience as of the date of publication. They are not necessarily all-inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with nor followed in violation of applicable laws, regulations, rules or insurance requirements.

**NO WARRANTY IS MADE, EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR PARTICULAR PURPOSE OR OTHERWISE.**

Maruni Industry Co., Ltd

Date: October 16, 2024

---

Technical Division