

| |
|-----------------------------------|
| MATERIAL SAFETY DATA SHEET |
|-----------------------------------|

STATEMENT OF HAZARDOUS NATURE

Hazardous According to Criteria of Work Safe Australia

IDENTIFICATION

| | |
|------------------------------|----------------------------|
| Product Name: | Radtech HP500 Extreme Race |
| Chemical Name: | Antifreeze/Antiboil |
| Manufacturer's Product Code: | RTHP500 |
| UN Number: | None allocated |
| Dangerous Goods Class: | None allocated |
| Subsidiary Risk[s]: | S5 |
| Hazchem Code: | None allocated |
| EPG NO: | None allocated |
| Poisons Schedule Number: | S5 |
| Toxic and Hazardous | |
| Ingredients: | Glycol blend |
| Uses: | Antifreeze/Antiboil |

PHYSICAL DESCRIPTION AND PROPERTIES

| | |
|----------------------------|---|
| Colour: | Yellow Green |
| Appearance: | Yellow Green clear liquid |
| Form: | Liquid |
| Softening Point: | Not required |
| Boiling Point: | 195 °C |
| Vapour Pressure: | 0.00 |
| Specific Gravity: | 1.118 @ 20 °C |
| Volatiles by Volume: | No data |
| Evaporation Rate: | No data |
| Vapour Density: | No data |
| Odour: | Low |
| Solubility in Water (g/l): | Totally miscible in water and alcohols. |

FLASH POINT

| | |
|----------------------------|----------------|
| Flash Point: | 300 °C |
| Flammability Limits Upper: | Not applicable |
| Flammability Limits Lower: | Not applicable |
| Auto ignition Temperature: | No Data |

MATERIAL SAFETY DATA SHEET

INGREDIENTS

| Chemical Name | CAS Number | Proportion |
|---|-------------------|-------------------|
| HO-CH ₂ -CH ₂ (-O-CH ₂ -CH ₂) _n -OH 2,2'-oxybisethanol 3-oxa-1,5-pentanediol Dihydroxy Diethyl Ether | 111-46-6 | >50% |
| Proprietary Non Hazardous Formulation | | <50% |
| Corrosion Inhibitors | | >4% |

HEALTH HAZARD INFORMATION

HEALTH EFFECTS:

Acute:

- Swallowed:** Harmful if swallowed. Swallowing can result in signs of intoxication followed by nausea and vomiting.
- Skin:** May cause skin sensitisation. Repeated exposure to the skin can cause hardening and cracking.
- Eyes:** Mild eye irritant.
- Inhaled:** Irritates the respiratory tract, effects are mainly transitory and reversible.

Chronic:

Repeated or prolonged skin contact may lead to irritant contact dermatitis.

FIRST AID:

- Swallowed:** Immediately rinse mouth with water. If more than 15 minutes from a hospital induce vomiting using fingers in the throat or Ipecac Syrup APF. Seek medical assistance.
- Skin:** Wash contaminated skin with plenty of water. Remove contaminated clothing and wash before reuse. If irritation occurs seek medical advice
- Eyes:** Rinse affected eye/s thoroughly with warm gently running water, holding apart the upper & lower eyelid/s occasionally, for at least 20 minutes. If irritation persists, seek medical advice.

ADVICE TO DOCTOR: Treat symptomatically.

| |
|-----------------------------------|
| MATERIAL SAFETY DATA SHEET |
|-----------------------------------|

PRECAUTIONS FOR USE:

| | |
|-----------------------------|---|
| Personal Protection: | Avoid contact with the skin and eyes, and avoid breathing vapours and mists. When exposure is likely, personal protective equipment in a combination appropriate to the exposure. |
| Flammability: | This product is non-flammable. |

SAFE HANDLING INFORMATION

| | |
|-----------------------------------|---|
| Storage and Transport: | Store in a cool place and out of direct sunlight. Store away from acids, oxidising agents and foodstuffs. Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by road and rail. |
| Ventilation: | General or local ventilation should be used to control airborne levels. |
| Handling: | This material is a Scheduled Poison S5 and must be stored, maintained and used in accordance with the relevant regulations. |
| Storage Temperature: | Store in a cool dry well ventilated place. |
| UN Class: | None allocated |
| Packaging Group: | None allocated |
| UN Number: | None allocated |
| EPG Number: | No Data |
| Correct Shipping Name: | 2,2'-oxybisethanol, 3-oxa-1,5-pentanediol |
| Spills and Disposals: | Slippery when split,. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and inhalation of vapours. |
| Environmental Precautions: | Prevent product from entering drains, watercourses and sewers. If product enters drains, watercourses and sewers inform Police, Fire Brigade and Local Authorities immediately. |



Extreme Race HP500

MATERIAL SAFETY DATA SHEET

Recovery: Collect into suitable containers for disposal. If required ventilate the area immediately & disposed of in accordance with local environmental protection legislation.

DANGER OF VIOLENT REACTION OR EXPLOSION: NO

Can react with acids and strong oxidising agents.

Fire/Explosion Hazard: This product is non-flammable

Decomposition Products: Not applicable

Hazchem Code: None allocated

CONTACT POINT:

Mr Stephen Pilcher
Fargo International Ltd
71 Adams Drive Pukekohe, New Zealand.
Ph 09-238-2389 Fax 09-238-2399
Mob 021-930-795

24 Hour Emergency Tel No. Above Mobile
Emergency Services Dial 111 or
NZ Poisons Centre 0800-764-766

Disclaimer:

Fargo International provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. FARGO INTERNATIONAL, MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, FARGO INTERNATIONAL WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.
