






















125mm Rotacasters

Product Catalogue



125mm Rotacaster




WHEELS	BUSH/BEARING	PART NUMBER					
 R2 Durometer (Hardness) 85A Capacity (Lateral/Static) 57/115 Kg	 Plain	---	---	---	R2-1258-8518	---	---
	 Nylon	R2-1258-85/N10	R2-1258-85/N12	---	---	---	R2-1258-85/N13
	 Shielded	R2-1258-85/Z10	---	---	---	R2-1258-85/Z09	---
	 Sealed	R2-1258-85/S10	R2-1258-85/S12	R2-1258-85/S15	---	---	R2-1258-85/S13
 R2 Durometer (Hardness) 95A Capacity (Lateral/Static) 68/125 Kg	 Plain	---	---	---	R2-1258-9518	---	---
	 Nylon	R2-1258-95/N10	R2-1258-95/N12	---	---	---	R2-1258-95/N13
	 Shielded	R2-1258-95/Z10	---	---	---	R2-1258-95/Z09	---
	 Sealed	R2-1258-95/S10	R2-1258-95/S12	R2-1258-95/S15	---	---	R2-1258-95/S13
 R3 Durometer (Hardness) 85A Capacity (Lateral/Static) 80/130 Kg	 Plain	---	---	---	R3-1258-8518	---	---
	 Nylon	R3-1258-85/N10	R3-1258-85/N12	---	---	---	R3-1258-85/N13
	 Shielded	R3-1258-85/Z10	---	---	---	R3-1258-85/Z09	---
	 Sealed	R3-1258-85/S10	R3-1258-85/S12	R3-1258-85/S15	---	---	R3-1258-85/S13
 R3 Durometer (Hardness) 95A Capacity (Lateral/Static) 80/160 Kg	 Plain	---	---	---	R3-1258-9518	---	---
	 Nylon	R3-1258-95/N10	R3-1258-95/N12	---	---	---	R3-1258-95/N13
	 Shielded	R3-1258-95/Z10	---	---	---	R3-1258-95/Z09	---
	 Sealed	R3-1258-95/S10	R3-1258-95/S12	R3-1258-95/S15	---	---	R3-1258-95/S13


Load Capacity Notes:

■ Lateral Load Capacity refers to the maximum load capacity of each wheel to travel directly sideways without radial head contact. ■ The Dynamic Load Capacity (while in motion) ranges between the maximum Static and the Lateral Load Capacity and varies proportionally to speed of the wheel travelling in its primary direction.


Wheel Dimensions (in mm)



R2



R3






Conversion

Metric	Imperial
3.2mm	1/8"
6.35mm	1/4"
8.00mm	5/16"
9.53mm	3/8"
11.1mm	7/16"
12.7mm	1/2"
15.88mm	5/8"
25.4mm	1"

125mm Rotacaster Single Mounts

STEEL FORKS (ZINC PLATED)

	R2 Formed	R3 Welded	R4 Formed
DUROMETER	PART NUMBER (Lateral / Static Load Capacity)	PART NUMBER (Lateral / Static Load Capacity)	PART NUMBER (Lateral / Static Load Capacity)
85A	R2-1258-85/MF 57/115 Kg	R3-1258-85/MW 80/130 Kg	R4-1258-85/MF 120/200 Kg
95A	R2-1258-95/MF 68/125 Kg	R3-1258-95/MW 80/160 Kg	R4-1258-95/MF 120/220 Kg
			


Load Capacity Notes:

■ Lateral Load Capacity refers to the maximum load capacity of each wheel to travel directly sideways without radial head contact. ■ The Dynamic Load Capacity (while in motion) ranges between the maximum Static and the Lateral Load Capacity and varies proportionally to speed of the wheel travelling in its primary direction.

FLOOR LOCKS


Friction Pad Floor Lock 11-9003

Mounting height: 132mm
Load capacity: 770kg



Lift Up Floor Lock 11-9002

Mounting height: 142mm
Load capacity: 200kg



125mm Rotacaster Multi Mounts



MULTI MOUNTS (ZINC PLATED MILD STEEL)




Multi Mount 2 x RC Wheels




Multi Mount 3 x RC Wheels

WHEELS		PART NUMBER (Static Capacity)	PART NUMBER (Static Capacity)
R3	 85A	R3-1258-85/MM2 (135Kg)	R3-1258-85/MM3 (200Kg)
	95A	R3-1258-95/MM2 (165Kg)	R3-1258-95/MM3 (240Kg)
R4*	 85A	R4-1258-85/MM2 (220Kg)	R4-1258-85/MM3 (300Kg)
	95A	R4-1258-95/MM2 (250Kg)	R4-1258-95/MM3 (340Kg)

Stainless steel multi mounts are available on request. *R4 Rotacaster Wheels are composed by 2 x R2 Rotacaster Wheels and need to be fixed within a mount or channel.



Note: measurements are in mm



ROTASKATES (Rotaskates are assembled with 2 x 600mm steel bars)

R3 X 2 SKATE
PART NUMBER: M-5322-02/R3

R4 X 2 SKATE
PART NUMBER: M-5323-02/R4




R3 X 3 SKATE
PART NUMBER: M-5322-03/R3

R4 X 3 SKATE
PART NUMBER: M-5323-03/R4



OTHER MULTI MOUNT OPTIONS
(FOR DIFFERENT LOAD REQUIREMENTS)



* Bars in different lengths available