

WIDE LOAD[®]

ENGINEERED FOR WIDE FEET

PRODUCT CATALOGUE

VOLUME 3.0



OUR DIFFERENCE

Since its release in 2009, WIDE LOAD® has become the benchmark in wide fitting extra depth safety footwear. Designed and developed in Sydney Australia in collaboration with leading orthopaedic/custom made shoemakers and Podiatrists*, the WIDE LOAD® last is based on 6E fitting profile with an additional 8mm of volume of forefoot girth.

The perfect foot is hard to find, and some say one does not really exist. It is true however, that some injuries and foot trauma is more likely to be associated with incorrectly designed or poorly fitted safety footwear. Wide Load boots are designed and manufactured with a wide profile steel/composite cap that has been specifically designed to meet the needs of those with wide feet, it is 12-15mm wider and 5mm higher than the industry 'standard', thus facilitating the fitting of custom-made orthotics and more importantly, challenging feet.

The anatomically designed forefoot provides an additional 15% "footprint" compared to the industry standard. This additional surface area combined with the self-cleaning cleat design outsole provides maximum stability and enhanced slip resistance. Walking can increase ground forces by up to 3 times body weight. The Wide Load bevelled heel strike and heel cushion zone helps reduce shock and lesson the effects of these forces on the body.

The foot is a complex structure containing 26 bones, a network of muscles, joints and ligaments. A fiberglass shank in all Wide Load boots is incorporated to enhance torsional rigidity and support in the waist of the boot. The shank also assists the forefoot to flex in the correct position.

The new airport friendly composite cap range is 10% (150 grams) lighter than its steel cap counterpart and incorporates high performance 'nylon6' non-metallic lace hardware. The cap provides less transmission of hot and cold while achieving "steel-like" safety for impact and compression. The cap meets all safety standards without compromising comfort.

Endorsement - MyFoot Dr Australia



After consultation with the Wide Load team during the early stages of the boot's development and from a practical perspective for over 12 years, I have been prescribing and recommending the Wide Load range of boots successfully in clinical practice. I have found no other boot that meets the needs of workers with challenging and problematic feet. Whether it be to accommodate prescription foot orthotics, feet that are extra wide or just simply toes of different lengths and shapes.

The unheralded and unique depth and width of Wide Load boots provides fitment like no other over the counter boot. Specifically, the toe cap is ergonomically engineered, and size proportioned to each boot length to better allow the boot to be customised. The days of cramped toes and damaged digits are a thing of the past.



Simon Webb Podiatrist MyFootDr

STEEL TOE PRODUCT FEATURES

EXTRA WIDE TOE CAP - 6E



Extra Wide Steel Cap



15mm wider and 8mm higher than standard steel toe caps

INSOLE COMFORT



Multi-Fit Insole System

Interchangeable 3mm EVA inserts provide adjustable fitting



Orthotic Friendly

The removable footbed is easily substituted for prescription orthotics creating maximum room
*This may void AS 2210.3 safety standards

LEATHER



Leather Upper

Water resistant 2.2mm nubuck/ premium full grain leather



Rubber outsole, top rated Slip resistant standard (SRC) for enhanced grip



Resist exposure to most acids, oils and chemicals



TPU toe bump/scuff protector



"FOD" self-cleaning sole design



Outsole heat resistant to 300°C

COMFORT



Lightweight Phylon Midsole

Provides superior cushioning and support. Offers advanced shock-absorbency reducing foot fatigue



Fully Lined

Soft polyester AirMesh® Tri-Layer breathable lining with superior wicking and thermal properties.



Padded Collar & Tongue

Super-soft "ester" foam collar/ tongue padding for added comfort and support



Removable Polyurethane Footbed

With built-in arch support & heel cup for enhanced cushioning. Genuine BK mesh 260gsm top cover with Agion® antibacterial treatment to reduce foot odour



Fiberglass Shank

To enhance torsional support and midfoot stability. Greatly assists in reducing leg and foot fatigue

HEALTH & SAFETY

Certified to:

AS 2210.3: 2019
CLASS 1: SB-SRA
EN 20345: 2004
ID: BMP 670431



Endorsements

Endorsed by leading Australian podiatrists and orthopaedic shoe manufacturers

Padded Collar and Tongue

Breathable AirMesh Lining

TPU Scuff Cap

Extra Wide Steel Toe Cap

PU Comfort Footbed

Water Resistant Leather

YKK Heavy Duty Coil Zip

Reinforced Heel Stiffener

Fiberglass Shank

Phylon Cushion Midsole

Rubber outsole – Slip & Heat Resistant to 300°C





690WZ | WHEAT - ZIP - 15CM (6")

- Water resistant nubuck leather
- Deep, wide fitting steel toe cap (6E)
- Nitrile rubber sole - slip & heat resistant to 300°
- TPU scuff cap
- Removable PU cushion insole
- YKK side zipper
- Temperature regulating lining
- Sizes UK 6-15 (US 7-16)
Full sizes only



690SZ | STONE - ZIP - 15CM (6")

- Water resistant nubuck leather
- Deep, wide fitting steel toe cap (6E)
- Nitrile rubber sole - slip & heat resistant to 300°
- TPU scuff cap
- Removable PU cushion insole
- YKK side zipper
- Temperature regulating lining
- Sizes UK 6-15 (US 7-16)
Full sizes only



690BZ | BLACK - ZIP - 15CM (6")

- Water resistant oil kip leather
- Deep, wide fitting steel toe cap (6E)
- Nitrile rubber sole - slip & heat resistant to 300°
- TPU scuff cap
- Removable PU cushion insole
- YKK side zipper
- Temperature regulating lining
- Sizes UK 6-15 (US 7-16)
Full sizes only



890WZ | WHEAT - ZIP - 20CM (8")

- Water resistant nubuck leather
- Deep, wide fitting steel toe cap (6E)
- Nitrile rubber sole - slip & heat resistant to 300°
- TPU scuff cap
- Removable PU cushion insole
- YKK side zipper
- Temperature regulating lining
- Sizes UK 6-15 (US 7-16)
Full sizes only



890SZ | STONE - ZIP - 20CM (8")

- Water resistant nubuck leather
- Deep, wide fitting steel toe cap (6E)
- Nitrile rubber sole - slip & heat resistant to 300°
- TPU scuff cap
- Removable PU cushion insole
- YKK side zipper
- Temperature regulating lining
- Sizes UK 6-15 (US 7-16)
Full sizes only



890BZ | BLACK - ZIP - 20CM (8")

- Water resistant oil kip leather
- Deep, wide fitting steel toe cap (6E)
- Nitrile rubber sole - slip & heat resistant to 300°
- TPU scuff cap
- Removable PU cushion insole
- YKK side zipper
- Temperature regulating lining
- Sizes UK 6-15 (US 7-16)
Full sizes only

690 LACE



690WL | WHEAT - LACE - 15CM (6")

- Water resistant nubuck leather
- Deep, wide fitting steel toe cap (200J) (6E)
- Slip, oil and fat resistant TPU/PU sole
- TPU scuff cap
- Removable PU cushion insole
- Temperature regulating lining
- Sizes UK 6-14 (US 7-15)
Full sizes only

DISCONTINUED - LOW STOCK



690BL | BLACK - LACE - 15CM (6")

- Water resistant oil kip leather
- Deep, wide fitting steel toe cap (200J) (6E)
- Slip, oil and fat resistant TPU/PU sole
- TPU scuff cap
- Removable PU cushion insole
- Temperature regulating lining
- Sizes UK 6-14 (US 7-15)
Full sizes only

DISCONTINUED - LOW STOCK

690 - NON SAFETY



690WZN

Sizes UK 6-16 (US 7-17)
Full sizes only

690BZN

Sizes UK 6-16 (US 7-17)
Full sizes only

NON SAFETY - ZIP - 15CM (6")

- Water resistant leather
- Deep, wide fitting toe box (6E)
- Nitrile rubber sole - slip & heat resistant to 300°
- TPU scuff cap
- Removable PU cushion insole
- Temperature regulating lining

490 PULL ON



490WPO | WHEAT - PULL ON - 16CM

- Water resistant nubuck leather
- Deep, wide fitting steel toe cap (200J) (6E)
- Nitrile rubber sole - slip & heat resistant to 300°
- TPU scuff cap
- Removable PU cushion insole
- Temperature regulating lining
- Sizes UK 6-14 (US 7-15)
Full sizes only



490BPO | BLACK - PULL ON - 16CM


- Water Resistant oil kip leather
- Deep, wide fitting steel toe cap (200J) (6E)
- Nitrile rubber sole - slip & heat resistant to 300°
- TPU scuff cap
- Removable PU cushion insole
- Temperature regulating lining
- Sizes UK 6-14 (US 7-15)
Full sizes only

COMPOSITE TOE PRODUCT FEATURES

EXTRA WIDE TOE CAP - 6E



Extra Wide Composite Toe Cap



15mm wider and 8mm higher than standard composite toe caps

INSOLE COMFORT



Multi-Fit Insole System

Interchangeable 3mm EVA inserts provide adjustable fitting



Orthotic Friendly

The removable footbed is easily substituted for prescription orthotics creating maximum room

*This may void AS 2210.3 safety standards

LEATHER



Leather Upper

Water resistant 2.2mm nubuck/ premium full grain leather



Rubber outsole, top rated slip resistant standard (SRC) for enhanced grip



Resist exposure to most acids, oils and chemicals



TPU toe bump/scuff protector



Antistatic Dissipates static electricity to earth



Outsole heat resistant to 300°C

COMFORT



Lightweight Phylon Midsole

Provides superior cushioning and support. Offers advanced shock-absorbency reducing foot fatigue



Fully Lined

Soft breathable mesh lining with superior wicking and thermal properties.



Padded Collar & Tongue

Super-soft "ester" foam collar/ tongue padding for added comfort and support



Removable Polyurethane Footbed

With a memory foam top layer providing additional arch stability and over all comfort. Genuine BK mesh 260gsm top cover with Agion® antibacterial treatment to reduce foot odour



Fiberglass Shank

To enhance torsional support and midfoot stability. Greatly assists in reducing leg and foot fatigue

HEALTH & SAFETY

Certified to:

AS 2210.3: 2019

CLASS 1: SRC, HRO, FO

EN 20345: 2011

LIC NO, BMP 670431

See specific style for S1/S3 rating



Endorsements

Endorsed by leading Australian podiatrists and orthopaedic shoe manufacturers

Padded Collar and Tongue

Breathable Mesh Lining

TPU Scuff Cap

Extra Wide Composite Toe Cap

Enhanced Memory Foam PU Cushion Footbed

Nubuck/Full Grain
Water Resistant Leather


YKK Heavy Duty
Coil Zip

Reinforced
Heel Stiffener

Fiberglass Shank

Phylon Cushion
Midsole

Rubber Outsole – Slip and Heat
Resistant to 300°C





690WZC | WHEAT - ZIP - 15CM (6")

- Deep, wide fitting composite toe cap (200J) (6E)
- Nitrile rubber sole – slip and heat resistant to 300°
- TPU scuff cap
- Removable PU memory foam cushion insole
- YKK side zipper
- Coats NylBond stitching
- Antistatic
- Airport friendly
- Sizes UK 6-16 (US 7-17)
Full sizes only

Certified to AS 2210.3.2019 CLASS 1 S1, SRC, HRO



690BZC | BLACK - ZIP - 15CM (6")

- Deep, wide fitting composite toe cap (200J) (6E)
- Nitrile rubber sole – slip and heat resistant to 300°
- TPU scuff cap
- Removable PU memory foam cushion insole
- YKK side zipper
- Coats NylBond stitching
- Antistatic
- Airport friendly
- Sizes UK 6-16 (US 7-17)
Full sizes only

Certified to AS 2210.3.2019 CLASS 1 S2, SRC, HRO



690SZC | STONE - ZIP - 15CM (6")

- Deep, wide fitting composite toe cap (200J) (6E)
- Nitrile rubber sole – slip and heat resistant to 300°
- TPU scuff cap
- Removable PU memory foam cushion insole
- YKK side zipper
- Coats NylBond stitching
- Antistatic
- Airport friendly
- Sizes UK 6-16 (US 7-17)
Full sizes only

Certified to AS 2210.3.2019 CLASS 1 S1, SRC, HRO



890WZC | WHEAT - ZIP - 20CM (8")

- Deep, wide fitting composite toe cap (200J) (6E)
- Nitrile rubber sole – slip and heat resistant to 300°
- TPU scuff cap
- Removable PU memory foam cushion insole
- YKK side zipper
- Coats NylBond stitching
- Antistatic
- Airport friendly
- Sizes UK 6-16 (US 7-17)
Full sizes only

Certified to AS 2210.3.2019 CLASS 1 S1, SRC, HRO



890BZC | BLACK - ZIP - 20CM (8")

- Deep, wide fitting composite toe cap (200J) (6E)
- Nitrile rubber sole – slip and heat resistant to 300°
- TPU scuff cap
- Removable PU memory foam cushion insole
- YKK side zipper
- Coats NylBond stitching
- Antistatic
- Airport friendly
- Sizes UK 6-16 (US 7-17)
Full sizes only

Certified to AS 2210.3.2019 CLASS 1 S2, SRC, HRO

THE DIFFERENCES OF THE COMPOSITE TOE RANGE;

- Metal free toe cap
- Rubber sole
- Anti-static
- Metal free lace hardware
- 10% lighter than steel toe cap



290BSC | BLACK - LACE

- Deep, wide fitting composite toe cap (6E)
- Metal free
- Rubber sole - slip, oil and head resistant
- Airport friendly
- All black breathable nylon upper
- Sizes UK 6-16 (US 7-17) Full sizes only
- TPU toe guard and heel skeletal stabiliser

Certified to AS 2210.3.2019 CLASS 1 S1, SRC, HRO



690BLWC | BLACK - WATERPROOF - 15CM (6")

- SympaTex ® 100% waterproof membrane
- Removable PU memory foam cushion insole
- Deep, wide fitting composite toe cap (200J) (6E)
- Coats NylBond stitching
- Nitrile rubber sole - slip, oil and fat resistant
- Metal free - airport friendly
- TPU scuff cap
- Sizes UK 6-15 (US 7-16) Full sizes only

Certified to AS 2210.3.2019 CLASS 1 S2, SRC, HRO



TACTICAL RANGE

790



790BZN | BLACK SOFT TOE - 20CM (8")

- Deep, wide 6E toe box
- Water resistant oil kip leather
- Nitrile rubber sole – slip and heat resistant to 300°
- Removable PU memory foam cushion insole
- YKK side zipper
- Sizes UK 6 – 16 (US 7-17) Full sizes only



790SZN | SAND SOFT TOE - 20CM (8")

- Deep, wide 6E toe box
- Suede leather upper
- Nitrile rubber sole – slip and heat resistant to 300°
- Removable PU memory foam cushion insole
- YKK side zipper
- Sizes UK 6 – 16 (US 7-17) Full sizes only



790BZC | BLACK COMPOSITE - 20CM (8")

- Deep, wide fitting composite toe cap (200J) (6E)
- Water resistant oil kip leather
- Nitrile rubber sole – slip and heat resistant to 300°
- Removable PU memory foam cushion insole
- YKK side zipper
- Sizes UK 6 – 16 (US 7-17) Full sizes only

Certified to AS 2210.3.2019 CLASS 1 S2, SRC, HRO

CASUAL RANGE

590



590BZN | BLACK
ZIP - LACE 15CM (6")

- Full grain oil kip leather
- Deep, wide 6E toe box – Soft toe
- Nitrile rubber sole – slip and heat resistant to 300°
- Removable PU memory foam cushion insole
- YKK side zipper
- Sizes UK 6 – 16 (US 7-17) Full sizes only



590CZN | CRAZY HORSE BROWN
ZIP - LACE 15CM (6")

- Full grain oil kip leather
- Deep, wide 6E toe box – Soft toe
- Nitrile rubber sole – slip and heat resistant to 300°
- Removable PU memory foam cushion insole
- YKK side zipper
- Sizes UK 6 – 16 (US 7-17) Full sizes only



590TZN | TAUPE
ZIP - LACE 15CM (6")

- Nubuck Leather
- Deep, wide 6E toe box – Soft toe
- Nitrile rubber sole – slip and heat resistant to 300°
- Removable PU memory foam cushion insole
- YKK side zipper
- Sizes UK 6 – 16 (US 7-17) Full sizes only



390BZN | BLACK - ZIP - PULL ON

- Full grain oil kip leather
- Deep, wide 6E toe box – Soft toe
- Nitrile rubber sole – slip and heat resistant to 300°
- Removable PU memory foam cushion insole
- YKK side zipper
- Sizes UK 6 – 16 (US 7-17) Full sizes only



390CZN | CRAZY HORSE BROWN - ZIP - PULL ON

- Full grain oil kip leather
- Deep, wide 6E toe box – Soft toe
- Nitrile rubber sole – slip and heat resistant to 300°
- Removable PU memory foam cushion insole
- YKK side zipper
- Sizes UK 6 – 16 (US 7-17) Full sizes only



390TZN | TAUPE – ZIP – PULL ON

- Nubuck leather
- Deep, wide 6E toe box – Soft toe
- Nitrile rubber sole – slip and heat resistant to 300°
- Removable PU memory foam cushion insole
- YKK side zipper
- Sizes UK 6 – 16 (US 7-17) Full sizes only


390

ACCESSORIES



REPLACEMENT PU FOOTBED

- Memory foam top layer which moulds to the foot offering a personalised support
- PU base providing superior shock absorption.
- Designed by leading podiatrist providing cushioning and support.
- Sizes UK 6-15



REPLACEMENT BOOT LACES

Steel Toe

- Styles 690 = 140cm
- Styles 890 = 165cm

Composite Toe

- Styles 690 = 165cm
- Styles 890 = 190cm

Colours: *Wheat* | *Stone* | *Black*

USE & CARE

- Clean boots regularly.
- Examine boots before and after each use.
- Leather should be polished and treated with leather protector.
- Suede should be brushed and treated with suede protector.
- Do not use solvents to clean work boots.
- Brush or wash the sole to remove contaminants.
- Store out of direct sunlight in a cool, dry place.
- To prevent water damage, store in a well-ventilated area. Inspect boots for water damage regularly.
- Do not force dry work boots.
- Do not make any unauthorised alterations to the boot such as mechanical stretching or adding vent holes. Doing so may make the footwear:
 - Non-compliant with standards.
 - Void any certification & approval.
 - Reduce the product's effectiveness.
- Replace footwear when it shows any of the following: cracks, break in leather, toe cap exposed, any other serious damage.

WARRANTY STATEMENT

All Wide Load footwear carries a 6 month manufacturer's warranty from the date of purchase against defective workmanship or materials. This warranty will be voided if in the opinion of the manufacturer or authorised distributor the product has been subjected to abuse or excessive wear and tear including exposure to cement, lime, chemicals, water or heat, if the product was not designed to be used in those conditions. As a condition of the warranty you must present evidence of date and place of purchase in the event of any claim. The warranty is offered in addition to and does not affect your statutory consumer rights.

WIDE LOAD[®]

ENGINEERED FOR WIDE FEET

HYTECH PTY LTD

Unit 20, 20-28 Kareena Rd,
Miranda NSW 2228, Australia

W: wideloadworkboots.com.au

P: +61 2 9524 6845

E: info@wideloadworkboots.com.au