

VUNO UHB-55I LCD Indoor Display K055ZI2000X

55 inch, 2000 nit
Ultra-Hi-Brite indoor
digital display




SPECIFICATIONS

Model No.	K055ZI2000X	Colour Depth	8bit 16.7 Million Colours
Description	55" UHB indoor display	Response Time	6ms (G to G)
Screen Size	55" Diagonal	Power Consumption	< 180W
Resolution	FHD, 1080x1920 (portrait)	Power input	AC 100V~240V, 50~60Hz
Active Area	1205 (H) x 680 (W) mm (portrait)	Power output	DC 12V (for VUNO Android media player)
Physical Dimensions	1245.7 (H) x 721.5 (W) x 88.2 (D) mm (portrait)	Video Input	HDMI x1, DVI-D x1, D-SUB x1
Weight	35kg	Audio Output	5W x2
Vertical Frequency	60Hz	VESA Mount	400 x 400
Brightness	2,000 nit	Components	Remote control, External IR receiver, Power cable
Back Light	LED	Approvals	Australian Safety Approval # SAA183027
Viewing Angle	178 / 178 degree		

SPECIFICATIONS

PANEL	Type	TFT-LCD
	Color	6 Bit / 8 Bit
	Aspect Ratio	16:9
	Resolutions	VGA, SVGA, XGA, SXGA, UXGA, Full HD
INPUT	VGA	Analog RGB (D-Sub) Refresh rate from 56Hz up to 75Hz VESA EDID 1.3
	DVI	Single Link DVI 1.0 compliant, Supports VESA EDID 1.3
	HDMI	HDMI 1.3/1.4 Compliant HDCP1.2 Compliant 225Mhz @1080P 60Hz with 12-bit color support, CEC support.
	Control	Buttons: Power, Menu, Select, Up, Down, Source IR Support Remote control RS232 controls
Warranty	Return to base warranty period	12 months



VUNO UHB-55I

LCD Indoor Display

K055ZI2000X
Main Unit

