

VUNO UHB-550 LCD Outdoor Display K055ZO2500X

55 inch, 2500 nit ultra hi-brite
outdoor digital display




SPECIFICATIONS

Model No.	K055ZO2500X	Colour Depth	8bit 16.7 Million Colours
Description	55" UHB outdoor display	Response Time	6ms
Screen Size	55" diagonal	Power Consumption	< 480W
Resolution	FHD, 1080x1920 (portrait)	Power input	AC 240V, 50Hz
Active Area	1209.6 (H) x 680.4 (W) mm (portrait)	Audio output	10W x2
Physical Dimensions	2200 (H) x 950 (W) x 600 (D) mm (inc base)	Video Input	HDMI x1, VGA x1
Weight	165kg	Brightness	2,500 nit
Back Light	LED	Components	Remote control, 2x keys
Viewing Angle	178 / 178 degree	Approvals	Australian Safety Approval # SAA171355
Humidity Range	10-90%	Temperature Range	0-50°C
Weather protection	IP65 rating	Corrosion protection	Powder coated, galvanised steel
Glass panel	2x 3mm tempered glass sheets with EVA film lamination	Return to base warranty period	12 months

SPECIFICATIONS

PANEL	Aspect Ratio	9:16
	Resolutions	VGA, SVGA, XGA, SXGA, UXGA, Full HD
INPUT	VGA	Analog RGB (D-Sub) Refresh rate from 56Hz up to 75Hz VESA EDID 1.3
	HDMI	HDMI 1.3/1.4 Compliant HDCP1.2 Compliant 225Mhz @1080P 60Hz with 12-bit color support CEC support.
	Control	Buttons (internal): Power, Menu, Select, Up, Down, Source RS232 control (internal) IR Receiver



VUNO UHB-550 LCD Outdoor Display

K055ZO2500X
Main Unit and Base

