



Dream it PRINT IT

Finish it

Duplo

TOUCHLINE multigraf

MUTOH OKI









Perfect Binders

Duplo



DB-290

- Perfect binder ideal for short run books
- up to 360 Cycles per hour
- Creates perfect bound, tape bound and padded books

DPB-500

- Single clamp perfect binder for short to mid-runs
- Up to 525 cycles per hour
- Ideal for variable data productions





DPB-500 PUR

- Single-clamp perfect binder for short to mid-runs
- Up to 525 cycles per hour
- PUR application system for coated stock

KB-4000 PUR

- Single-clamp perfect binder ideal for shorter runs
- Up to 200 cycles per hour
- Utilizes both PUR and EVA hot melt side glue application for faster finishing



Creasers plus

Duplo

DC-446 CREASER



- Up to 20 creases in a single pass
- Processes up to 60 sheets per minute
- Top air-suction feeding system with optional air knife
- Optional slitting and perforating modules available

DC-616 PRO SLITTER CUTTER CREASER

- Processes up to 10 sheets per minute
- Up to 6 slits, 25 cuts, and 20 creases in a single pass
- Built-in CCD scanner reads barcodes and registration marks
- Standard perforation unit





DC-646 SLITTER CUTTER CREASER

- Processes up to 30 sheets per minute
- Up to 8 slits, 25 cuts and 20 creases in a single pass
- Built-in CCD scanner reads barcodes and registration marks



Creasers plus

Duplo

DC-516 PRO MULTI FINISHER



- Up to 20 creases per sheet with each Module
- Creases up to 100 sheets per minute
- Cuts up to 12 sheets per minute
- Top air-suction feeding system with air knife
- Incl: Crease module, Cutting module, Slitting Module
- Incl: Long Conveyor Stacker

DC-746 SLITTER CUTTER CREASER

- Duplo's most powerful, all-in-one digital color finisher
- Standard PC Controller software and CCD scanner
- Optional rotary tool and cross perforating modules
- Processes up to 50 sheets per minute
- Up to 10 slits, 25 cuts and 20 creases in a single pass
- 5.9" feed capacity



Videos Available On PrintFinishingEquipment.ca

DFL-500 COAT/FOIL/LAMINATOR

- 3-in-1 solution
- Auto film slitting and cutting system
- Two-piece design for easy film setup and removal
- Automatic air suction feed system
- Handles up to 13" width sheets



Duplo

CC-330 CARD CUTTER


- Up to 240 business cards per minute
- Up to 110 lb. cover, stock size up to 13" x 19"
- Cut mark sensor for top and bottom cutting accuracy



Easily interchangeable cassette design



DF-1200 FOLDER AIR SUCTION



- Air suction feed system ideal for digital print documents
- 20 job memories for custom folds
- Automatic fold plate setting
- Sound absorbers for quiet operation

Key Applications

- •Letters
- Book Covers
- •Brochures
- •Menus
- Invoices
- Newsletters

150Fr BOOKLET SYSTEM

- Ideal for short volume demands
- Bi-directional feeding for collating and stacking or bookletmaking



Collators/Bookletmakers

DSC - 10/20 COLLATOR



DBM350T Trimmer + DBM350 BookletMaker + DSC10/20 Collator X 2

The Duplo 10/20 is our affordable and heavy duty suction collating solution designed for both offset and digitally printed applications. This 10 bin paper collator handles a wide range of paper, from bond to coated stock, and feeds up to 7,200 sets per hour. It can be configured with the DBM 150 and DBM 350 Bookletmakers as shown.

600i DIGITAL BOOKLET SYSTEM





With the DBM-600 Bookletmaker, jobs can be saddle, side, or corner-stitched up to 5,200 booklets per hour and the automatic setup feature allows users to go from large-size to CD-size book jobs without any manual adjustments. Maximize productivity by adding the optional PC Controller to control the entire system from one convenient location.

Pictured above:

DBM-LSW Long Stacker + DKT-200 Two Knife Trimmer + DBM 600T Face Trimmer + DBM 600 Bookletmaker + LUL-HM Hand Marry + DSC-10/60i Suction Collators x 2

DFS-3500 FULL BLEED BOOKLET SYSTEM

DC446 Creaser + DBM 350 Bookletmaker + DBM 350T Trimmer



- In-line creasing and slitting
- Stitch, Fold and Trim
- High capacity feeder
- Automatic job setup
- Integrated book spine compressor
- Crease-only mode
- Variable data processing
- DCM Kit anti-static device

TOUCHLINE multigraf



Videos Available On PrintFinishingEquipment.ca

CF375 CREASER FOLDER

| Feeder System | Suction Feeder | |
|-----------------------|--|--|
| Feeder Capacity | 180 mm/660 mm | |
| Paper size min. | 105 x 148 mm | |
| Paper size max. | 375 x 600 mm | |
| Paper Stocks | 100-400 gsm or max 0.4 mm 375 x 1050 mm with ext. | |
| Control Panel | Touchscreen | |
| Double Sheet Detector | Ultrasonic | |
| Creasing System | Multigraf Swingbar | |
| Creasing Styles | 1 crease bar = 2 styles | |
| Creasing Depth | 3 automatic setups | |
| Number of Creases | 20 | |
| Number of Folds | 2 | |
| Speed | up to 6,000 | |




2 Delivery trays
Top: crease/fold
Lower: just creasing

Online Perf Device for lower exit as option

Ultrasonic Double Sheet Detector System included

Folds for CF375



C375 CREASER

The Touchline C375 is more than just a creasing machine. As a part of a complete product family it not only offers the possibility to crease paper and card. The Touchline C375 becomes a fully functional online creasing and folding system connecting it to a folding unit TF375.

- Paper size min.: 105 x 148 mm
- Paper size max.: 375 x 1050 mm (with table extension)
- Paper stocks: 80 400 gsm



TOUCHLINE multigraf



Paper size min.: 105 x 148 mm

Paper size max.: 375 x 1050 mm (with

table extension)

Paper stocks: 80 - 400 gsm (creasing

and folding)

CP375 Duo/Mono

Stop perforation in both directions.

Two cross tool positions for efficient production.

Up and down creasing in one run for book covers.

Perforating and creasing in one run.

Tool changeover within 20 seconds.

Automatic tool detection and calibration.

No manual adjustments.

Ultrasonic double sheet detection as a standard.

Online options for folding.

| Feeder System | Suction Feeder | |
|--------------------------|---|--|
| Feeder Capacity | 180 mm | |
| Paper size min. | 105 x 148 mm | |
| Paper size max. | 375 x 660 mm 375 x 1050 mm with ext. | |
| Paper Stocks Perforating | 80-300 gsm or max 0.3 mm | |
| Paper Stocks Creasing | 80-400 gsm or max 0.4 mm | |
| Control Panel | Touchscreen | |
| Double Sheet Detector | Ultrasonic | |
| Speed | up to 6000 | |

CP375 with TCF375

Stop perforation in both directions is one of the key features of the new Touchline CP375. And due to the interchangeable tools, the CP375 can be diverted from a perforating into a creasing machine or vice versa within no time.

In conjunction with the online creasing and folding machine Touchline TCF375, the CP375 will be able to produce even more complex jobs online; stop perforation in both directions, creasing and folding all in one operation.

Videos Available On PrintFinishingEquipment.ca



Duo allows 3 operations at one time; stop perforation in both directions plus crease **Mono** allows 2 operations at one time: stop perforation in both directions or crease and perf

Paper size min.: 105 x 148 mm

Paper size max.: 375 x 1050 mm (with table

extension)

Paper stocks: 80 - 400 gsm (creasing)





Titan 200

- 20" Cutting Width
- Hydraulic Powered Clamping and Cutting
- Light Beam Safety Activation
- 2 Hand Operation
- LCD Control Screen

Titan 230

- 23" Cutting Width
- Hydraulic Powered Clamping and Cutting
- Light Beam Safety Activation
- 2 Hand Operation
- LCD Control Screen





Titan 265

- 26.5" Cutting Width
- Hydraulic Powered Clamping and Cutting
- Light Beam Safety Activation
- 2 Hand Operation
- 10.5" Color Touch Screen Controller





Champion 305TC

- Up to 26 cuts per minute
- Virtually maintenance-free design
- Fully-adjustable knife bar gibs (front and rear)
- 30.5" cutting width, 4" clamp opening
- Hydraulic clamping and cutting
- Line-light cut position indicator
- False clamp plate
- Cast iron and steel construction

- Up to 24 cuts per minute
- Virtually maintenance-free
- Fully-adjustable knife bar gibs (front and rear)
- Electronically-adjustable/ programmable clamp pressure
- Low-pressure pre-clamping protects operator from injury 37" Cut Width, 5-1/8" Clamp Opening
- Hydraulic Clamping & Cutting
- Power Foot Pedal Clamping
- Line-Light Cut Position Indicator
- Lighted Work Surface
- False Clamp Plate
- Cast Iron and Steel Construction

Champion 370TC



TC Control System Features:

10.5" Color Touch Screen control panel

 $\ensuremath{\mathsf{JDF}}$ and network capable hardware / Electronic Clamp Pressure control

USB port for simple thumb drive program entry

Ability to receive .csv files making offline programming and memory storage simple

Repeat and Loop commands streamline program entry

Auto-programming features of sheet division and label cutting with animated graphics Programmable Clamp pressure per cut / Automatic Fraction to Decimal Conversion

Trimph Cutters





5255, Automatic Programmable Cutter

- Cutting width 20 3/8"
- Cutting height 3"
- Narrow cut 1 3/8"
- Cutting length behind Blade 20 3/8"
- Electronic Transparent Guard
- Motor 2 hp
- Power supply 115 V, 60 Hz

4705, Manual Tabletop

- Cutting width 16 7/8"
- Cutting height 1 1/2"
- Manual
- Stand or Cabinet available



Great for Low Volume Cutting



4350, Automatic Tabletop

- Cutting width 16 7/8"
- Cutting height 1 1/2"
- Electric
- Stand or Cabinet available

Triumph Cutters





7260, Programmable Hydraulic

- Cutting width 28"
- Cutting height 3"
- Narrow cut 3/4"
- Cutting length behind blade 28"
- Light Beam Safety Cover
- Motor 2 hp
- Power supply 220 V, 3 phase

5560LT, Programmable Hydraulic

- Cutting width 21 5/8"
- Cutting height 3 3/4"
- Narrow cut 1 1/4"
- Cutting length behind Blade 22 7/16"
- Light Beam Safety Cover
- Motor 2 hp
- Power supply 115 V, 60 Hz





5260/6660, Automatic Programmable

- Cutting width 20 3/8" / 25 1/2"
- Cutting height 3"
- Narrow cut 1 3/8" / 1"
- Cutting length behind Blade 20 3/8" / 24"
- Light Beam Safety Cover
- Motor 2 hp
- Power supply 115 V, 60 Hz

T Shirt Press



A revolution in digital color printing HD Color quality with white toner – for breathtaking transfer media output!



Will take Transfers up to 8.5 x 14"

711WT

Print high-quality solid white graphics and text as well as vibrant color on transfer media—easily and cost effectively. The C711WT (White Toner) lets you print in breathtaking colorplus-white on transfer sheets that can be used with a wide variety of substrates.



PRO8432

The Pro8432WT provides HD-quality color heat transfers for apparel, hard goods and a wide range of promotional materials. The Pro8432 features advanced white toner technology with solid opacity and CMY color.



Will Take Transfers up to 11 x 17"



The future is bright Stunning, high quality fluorescent color

With a unique black or white quick-swap print cartridge feature, the Pro6410 NeonColor enables printing of bright, fluorescent colors on transfer media to personalize almost anything, producing dazzling effects on both dark and light backgrounds.

PRO6410 Neon



Will Take Transfer up to 8.5 x 14"

Heat Presses

What makes these units the best on the market is every heat casting is manufactured in a permanent steel cavity mold using an exclusive aluminum alloy for maximum heat transfer. **Made in the USA.**



Swingman 20

- For professionals who are serious about maximum production, highquality impressions, safety, and minimal effort on the operator. The HIX SwingMan 20 sets the industry standard in heat press design for sublimation and textile heat transfer production with the ability to apply over 1200 lbs of downward force with very little effort.
- Can apply pressure on items up to 1 3/4" thick, covers 16 x 20 in area



HT400

- Called the workhorse; rugged and durable
- Applies pressure on items up to 1 in thick, covers 15 x 15" area
- With over 100,000 units sold throughout the world, this machine is regarded as an industry standard. Many customers have used this heat press for over 30 years of worry-free service. If you're looking for high production capabilities, this is the heat press you need!



HT600

- The HIX HT-600 Clamshell Press ensures that your larger heat transfer impressions are perfect from edge to edge. With a larger 16" x 20" platen surface, you'll be capable of handling those transfers that require more surface area.
- Built with the same features and performance as the HT-400



B250

- Super Portable Hat Press
- Manual Machine that features a digital timer
- Comes with 3 x 5 1/2" lower rubber covered platen



Mug Press

- Takes various size mugs
- Digital Temperature Control
- Programmable Pre-sets



OKI

Your Multi Media Center



- Prints with CMYK plus White or Clear toner
- True 1200 x 1200 dpi resolution
- Handles 3" x 5" cards to 52" banners
- High-resolution color LCD display panel with alphanumeric keypad



What White Can Do For You

Videos Available On PrintFinishingEquipment.ca

- 1200 dpi LED Printheads
- Duplex Standard
- White Under CMYK in a Single Pass
- Easily Print Full Color on Dark Media





24 up business card on 360 gsm (up to 16 - 18 pt cover stock)



The White on Black "POPS"



Retail Signage – Print CMYK over white toner on clear polyester window cling media.



Gold Foil and CMYK plus White on Brown Stock



Envelopes – Print color on color and produce brilliant full color images on colored envelope media



Envelope Press

Prints on a Wide Range of Media:

-Polyester
-Envelopes
-Magnetic Media
-Transparent Film
-Heavy Stock up to 360gsm



Videos Available On PrintFinishingEquipment.ca

- True 1200 x 1200 dpi resolution
- High-capacity toner: up to 38,000 pages
- Handles 3" x 5" cards to 52" banners
- High-resolution color LCD display panel with alphanumeric keypad

Eye Popping Colour



Envelopes up to 10 x13"







Window Envelopes
- No Problem



OKI Attachments



Gold Foiler

- Applies foil to toner image that has been imprinted by laser printer or copy machine
- Takes up to 12" wide foil
- Flat foil jobs done easily





High Capacity Tray

- 3 in 1 tray with castors
- On the Fly Auto tray switch
- 1,590 sheet capacity for set of 3 trays
- each tray holds up to 530 sheets, max sheet size 12" x 18"



Extended Long Media Tray

- Allows you to feed extended media up to 13" x 52" long
- Easily attached and removed on your OKI



RIP for OKI 931/941/942

- Spot Color editor with spot color matching
- premerged variable data support
- pre-configured color profiles
- Position/margin adjustment
- supports 4 & 5 color OKI devises



RIP for T Shirt Transfers

- The FOREVER TransferRIP boasts the power to manipulate your artwork without the necessity or knowledge on using complex design suites.
- Remove colours, change colours, and adjust your artwork settings with simplicity.
- Make your prints Feel Better, Look Better, Wash Better, Last Longer, Cost Less, Better Quality, Unique and also gives you TOTAL CONTROL
- Turn off or reduce the white opacity layer/Control white toner by percentage
- Sharpen artwork by up to 5 pixels/Print transparent gradients.
- Change colours or remove colours by selection.
- Adjust brightness, contrast, hue, saturation, and gamma of CMYK

TEC UV Coaters

TEC Lighting, Inc.

Tru In-Line UV Coater

Want the best of both worlds? The Inline UV Coater offers all of the same features of the sophisticated TruCoat UV Coater, with added capabilities. This innovative design was created to accommodate and adapt to your existing printing equipment flawlessly, with widths or 16" or 30" depending on model and speed of up to 4,800 SPH. With its easy transfer inline conveyor table, professional UV coating becomes an accessible reality for your finishing needs. This technology offers high performance coating, and a quick and easy transport system to keep up with your fast-pace business.



Tru Coat Autofeed

The Tec Lighting TruCoat Autofeed is a high speed production coater that offers a high production auto feeder with a 22" (56cm) deep pile sheet capacity. The TruCoat is fit for even the most demanding printers and will give you the ability to coat Gloss and Satin on almost any printed sheet at a rate of up to 4,800 sph. The TruCoat is offered in many configurations to fit your requirements, sizes range from 16" (40cm), 21" (54cm) and 30" (76cm) with a modular design to allow for added components such as an automatic receding stacker for increased production. Some of the features on the TruCoat include an easy to use touch screen, variable intensity IR lamps and quick change rollers that take only 5 minutes to replace.



TEC UV Coaters

TEC Lighting, Inc.

Tru Mini

Are you looking to make the most of your workspace without having to sacrifice performance of a professional UV coater? We have your solution! The Tru MINI is designed with the short run printer in mind. It offers a fantastic finish all while being the smallest footprint production UV coater available on the market. The Tru MINI is small but incorporates all the features of larger units including a peristaltic fluid pump, IR Lamps for flow-out and adhesion and a stainless steel doctor blade to ensure the ability to run double-sided work. In three short minutes you can set-up the unit and begin producing stunning UV coating. The Tru MINI will do widths of 14" or 25" depending on model picked, with a speed of 2,000 SPH.



Tru Coat Handfeed

The Tec Lighting TruCoat Handfeed offers the ideal combination of performance and affordability. The TruCoat was designed with your needs and desires as a main priority. The TruCoat Offline UV Coater will give you the ability to Gloss and Satin coat almost any printed sheet with ease. The system is offered in many configurations to fit your requirements, sizes range from 16" to 30" able to produce up to 2,000 SPH with a modular design to allow for added components such as an automatic feeder and stackers for increased production in the future.



MUTTOH Wide Format Printers

ValueJet 1324X/1624X



ValueJet 1324X, 54"

ValueJet 1624X, 64"



- 54" and 64" Width
- Eco-Ultra ink producing Brilliant Colours
- High Productivity, up to 600 sq ft/hr
- 2 Year on Site Warranty

ValueJet 628X

Quick and Easy Printing of stickers, decals, banners, indoor and outdoor signage.

- 24 inch printer
- Up to 8 colors incl. White and Metallic
- Small footprint, table top or use with optional stand



ValueJet 1628X

Print high quality 1440 dpi output for photographic output or create custom wraps, banners, indoor and outdoor signs, POP displays and trade show graphics

- 48 inch printer
- Print with Mutoh Eco-Ultra ink
- Eight Colors incl. White and Metallic
- Print on Mutoh Ready2Print pregrommeted banner
- Print speeds up to 140sqft/hr
- 2 Year on Site Warranty



ValueJet 1638X /2638X

ValueJet high speed models have a staggered dual-head design that blows the competition away!



- 64 inch or 104" printer
- Print with Mutoh Eco-Ultra ink
- Up to seven color capability
- Print speeds up to 1,012 sqft/hr or 1,168 sqft/hr

MUTTOH UV/MP Printers

ValueJet 426UF Printer/FlatBed

- 19" x 13" printer
- Energy efficient UV-LED ink
- CMYK + White and Varnish
- Print directly on a variety of substrates up to 2.75" thick
- Mutoh edition FlexiPrint DX RIP software
- Vacuum Table



PRINT ON:

GOLF BALLS,

PHONE COVERS, IPAD

COVERS, ID CARDS,

TROPHIES, PACKAGING,

LABELS, POP SIGNAGE,

PROTOTYPES

1638UH









Mutoh wins 4 awards at SIGA 2016

UV-LED printing is the most environmentally friendly printing in the wide-format marketplace. Containing no VOCs or HAPs, UV-LED prints leave a minimal carbon footprint.

- 64 inch hybrid printer
- Dual print heads for increased production
- CMYK + White and Varnish ink capability
- Print on roll or rigid materials up to a half inch thick
- Includes rigid front and rear tables
- Mutoh edition FlexiSign & Print RIP software
- One year on-site limited warranty



Cutting Plotters

- 24", 52" and 72" cutting plotters
- Versatile roll support system allows for perfct tracking
- Intuitive job recognition and alignment of contour and cut data
- Multi-segment registration capability for accurate long run cut jobs



Bindery



JF Single Spindle Drill

A manual Foot Pedal operated drill with 2" Drill Capacity





Paddy Wagon Padding Press

The original and still the BEST. Easy, portable, affordable, highproduction padding

EH Three Spindle Drill

- Powerful Hydraulic Operation
- 2 1/2" Drilling Capacity
- Fast and Easy Head Adjustment
- Automatic Drill Return

SCM Manual Corner Rounder

- 6 Sizes of Cornering Blades
- Handles any size sheet
- 2" Lift Capacity
- Precise Cutting Action
- Gravity Chip Disposal



Handy-jog

This small but mighty jogger provides a powerful, quiet, maintenance-free jogging action that efficiently jogs paper up to 11" x 17" (A3).



SCM Hydraulic Corner Rounder

- 6 Sizes of Cornering Blades
- Handles any size sheet
- 4" Lift Capacity
- Precise Cutting Action
- Gravity Chip Disposal



Bindery





























RS Trimmers

Wide Format Electric Trimmers

Perfect fit for Sign and Print Shops looking to improve their Finishing Solutions. Easy to Use for Fast, Efficient Trimming of Vinyl, Paper, Laminate, Canvas, Styrene and Polycarbonate

| Model | RET1501 | RET2501 |
|-------------------|------------|---------|
| Max Cut Size | 59" | 98" |
| Max Cut Thickness | Up to 1/3" | same |





Small Hot / Cold Laminators



NPH-1200

13" Professional Photo and ID Pouch Laminator, 4 Roller. Hot and Cold settings



RSL-380SL

15" High Capacity Single Side TableTop HotRoll Laminator , Temperature range 210-302F. Digital Controls, 4 Rollers, Up to 16.4' per minute



RSL-2701U

27" TableTop HotRoll Laminator , Temperature range 210-310F Digital Controls for variable Temp and Speed



RSL-2702S

27" Hot and Cold TableTop Laminator with Decurl Bar, Digital Controls for variable Temp and Speed. Mounts up to 3/16" thick. Also Single Side Laminating



RSL-820CLS

The RSC-820CLS is an economic 32 inch cold laminator. Ideal for 30" printers and cutters.

Lamination



Wide Format Dual Hot Laminators



RSL-1151 45" Hot or Cold High Quality Laminating and Mounting. Display

for variable temperature and speed control.

RSL-1651 65" Hot or Cold High Quality Laminating and Mounting.

Display for variable temperature and speed control.

Wide Format Cold Laminators



RSC- 65" Cold with Heat Assist. Heavy duty, high capacity, high speed, digital controls. Laser Safety System



RSC- 65" Cold-Economic with 1" Mounting Gap, high speed, digital controls, Laser Safety System - H model is heat assist



RSC- 55" Cold with Heat Assist. Heavy duty, high capacity, high speed, digital controls. Laser Safety System



RSC-1402CW/HW 55" Cold with Wind Up. 1" Mounting Gap high speed, digital controls. Laser Safety System - H model is heat assist

Shredders





2270 (Deskside)

Two separate cutting heads with separate feed openings—one for paper and one for CDs / DVDs. Removable shred bin contains separate compartments for easy material separation and disposal.

Shred volume, gallons: 5 (paper), 3/4 (plastic)

Feed opening, inches: 8 3/4 Electrical requirements, volts: 115 Maximum horsepower: 1/5



2604 (Centralized Office)

Automatic start and stop controlled by photo cell. Patented Electronic Capacity Control (ECC) indicator prevents jams by monitoring sheet capacity levels during operation. Automatic oil injection ensures optimal performance at all times (cross-cut and high security models). High quality, hardened steel cutting shafts take staples, paper clips, credit cards, and CDs / DVDs (strip- and cross-cut models). High security models meet all NSA/CSS specifications and are DOD approved. Lifetime warranty on the cutting shafts (strip- and cross-cut models). 1 year warranty on high security cutting shafts. Quiet and powerful single phase motor rated for continuous operation. Sturdy Twin Drive System with fully enclosed gear box housing. High quality wooden cabinet mounted on casters. Convenient, environmentally friendly shred bin does not require disposable shred bags.

Shred volume, gallons: 26 Feed opening, inches: 10 1/4 Electrical requirements, volts: 115

Maximum horsepower: 1



4002 (Centralized Office)

Automatic start and stop controlled by photo cell. Patented Electronic Capacity Control (ECC) indicator prevents jams by monitoring sheet capacity levels during operation. Automatic oil injection ensures optimal performance at all times (cross-cut models). High quality, hardened steel cutting shafts take staples, paper clips, credit cards, and CDs / DVDs. Lifetime warranty on the cutting shafts. Quiet and powerful single phase motor rated for continuous operation. Sturdy Twin Drive System with fully enclosed gear box housing. High quality wooden cabinet mounted on casters. Convenient, environmentally friendly shred bin does not require disposable shred bags.

Shredders





4605 (High Capacity)

Small footprint—ideal for limited space applications. Top loading feed hopper for bulky materials such as crumpled paper from wastebaskets. Main switch and emergency stop button. Automatic power cut-off when hopper or cabinet is opened or shred bag is full. Automatic reverse and power cut-off when overfed. Thermal switch prevents overheating. Special rotating paddles for positive feeding of bulky materials. Standard feed opening for flat paper with automatic start and stop controlled by photo cell. Fold-out feed table. Soft-touch control keys with optical indicators to show operational status. Soft metal resistant, hardened steel cutting shafts take CDs / DVDs and hardbound documents. High powered 3 phase motor rated for continuous operation. Fully enclosed gear box housing. Mounted on heavy duty casters. Front opening cabinet door and mobile shred bin for easy replacement of shred bags.

Shred volume, gallons: 61 Feed opening, inches: 18

Electrical requirements, volts: 220, 3 phase

Maximum horsepower: 7 1/3



5009 (High Capacity)

Extra large feed table with powered conveyor belt feed system. Convenient centralized oiler for lubrication of the cutting shafts. Electronically controlled safety guard. Safety lock and key, main switch, and emergency stop button. Automatic power cut-off when cabinet is opened or shred bag is full. Automatic reverse and power cut-off when overfed. Thermal switch prevents overheating. Push button control panel with optical indicators to show operational status. 2 automatic speed modes: POWER for bulk feeding large quantities of paper and SPEED for high speed shredding of lesser amounts. Soft metal resistant, hardened steel cutting shafts take CDs / DVDs, hardbound documents, and 3-ring binders. Dual 3 phase motors (24 maximum horsepower) rated for continuous operation.

Shred volume, gallons: 79 Feed opening, inches: 20

Electrical requirements, volts: 220, 3 phase (50 amp. dedicated line required)

Maximum horsepower: 24

Computer To Plate

GLUNZ & JENSEN⁴¹



Model 2000

Plate Size up to 18" x 24 "



Platewriter Metal, Chemistry Free

- Affordable Metal Computer To Plate System
- Advanced Inkjet Technology to image directly on aluminum plates
- Eliminates need for processor or chemicals.
- Low plate cost, equivalent to analog plates
- Run length up to 50,000 impressions
- Includes Dell Computer

The Complete Solution

Everything you need to start making plates is included - from the imaging engine and finishing unit with automated gumming station, to the Harlequin RIP with its own powerful hardware platform.



ECO 1630 IIIR SilverDigi from Mitsubishi



Versatile and Cost-Friendly

- SDP-Eco1630IIIR the ideal, efficient, and ecologically friendly platesetting system features: High-speed output technology
- Eco processing
- RoHS compliant
- Harlequin NT-RIP and platform
- Images paper or polyester Silver DigiPlate[™]
- Outputs of up to 78 plates per hour (at 1200 dpi)
- Delivers resolutions of 1200, 1500, 1800, 2400
 dpi
- Plate widths from 9" to 16 5/16" (229 mm to 414 mm) and lengths from 8 5/8" to 22 13/16" (220 mm to 580 mm)
- Optional punching system for accurate registration

Pre-Owned Equipment







Ilumina Envelope Press

Ryobi 3302M





TEC Xtra Coat 25"

Horizon BQ270 Perfect Binder







Challenge EH-3A 3 Hole Drill

RSC1400C 55" Trimmer

TR 6550 Cutter







Astro Envelope Feeder

Kimo 410 CTP

GW J1 Numbering Unit



